


MUSIC WARMTH AND PHYSICAL CONTACT

GRAN PARADISO



INSPIRING ELEGANCE





GRAN PARADISO



Pavimento / Floor: GP 11
Rivestimento / Wall: Collodi



Pavimento / Floor: GP 9



GP 1
20x80 cm
8x32 in
073



Mosaico / GP 1
30x30 cm
12x12 in
180



GP 11
20x80 cm
8x32 in
073



Mosaico / GP 11
30x30 cm
12x12 in
180



Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa / GP 1
6,5x80 cm 2 1/2x32 in
Bullnose / Sockelleiste / Plinthes
030



Gradone Lineare / GP 1
20x80 cm 8x32 in
Step / Stufe / Nez de marche
144


Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa / GP 11
6,5x80 cm 2 1/2x32 in
Bullnose / Sockelleiste / Plinthes
030



Gradone Lineare / GP 11
20x80 cm 8x32 in
Step / Stufe / Nez de marche
144



GP 9
20x80 cm
8x32 in
073



Mosaico / GP 9
30x30 cm
12x12 in
180

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa / GP 9
6,5x80 cm 2 1/2 x 32 in
Bullnose / Sockelleiste / Plinthes
030



Gradone Lineare / GP 9
20x80 cm 8x32 in
Step / Stufe / Nez de marche
144



Collodi
20x80 cm
8x32 in
095

- soggetti assortiti
- different designs
- Motive sortiert
- sujets assortis

	Package	20x80
	Pieces	7
	Mq.	1,12
	Boxes	42
	Mq.	47,04
	Kg.	1070,00

SHADE VARIATION			
LOW	MODERATE	HIGH	RANDOM

Price codes: ■ Mq. ■ Mt. ■ Pieces



LA PORCELLANA SMALTATA	SPESSORE	RESISTENZA AL GELO
THE GLAZED PORCELAIN	THICKNESS	FROST RESISTANCE
GLASIERTES FEINSTEINZEUG	STAERKE	FROSTBESTÄNDIGKEIT
LA PORCELAINÉ EMAILÉE	ÉPAISSEUR	RESISTANCE AU GEL

10,3 mm RESISTANT
ISO 10545.12

ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIVOLAMENTO	ASCIUTTO	BAGNATO
WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT	TROCKEN	NASS
ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLEE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSMENT	SEC	MOUILLE
~0,1% ISO 10545.3		GA UNI EN ISO 10545.13 5 UNI EN ISO 10545.14	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R9 - >0,40	B - ≥0,42 >0,40



Ceramica del Conca S.p.a.
Via Croce, 8 - 47832 San Clemente (RN) - Italy
Tel. (+378) 0549 996037 - Fax (+378) 0549 996038
www.delconca.com - info@delconca.com

